

Notice of Allowability	Application No.	Applicant(s)	
	10/030,922	JOHANSSON, ROGER	
	Examiner	Art Unit	
	Patricia M Bianco	3762	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to Interview & Examiner's Amendment of 6/9/04.
2. ☒ The allowed claim(s) is/are 1-9.
3. ☒ The drawings filed on 10 May 2002 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☒ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☒ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- | | |
|---|--|
| 1. <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 6. <input checked="" type="checkbox"/> Interview Summary (PTO-413),
Paper No./Mail Date <u>6/9/04</u> . |
| 3. <input checked="" type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date <u>5/10/02</u> | 7. <input checked="" type="checkbox"/> Examiner's Amendment/Comment |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit
of Biological Material | 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance |
| | 9. <input type="checkbox"/> Other _____. |

Patricia M Bianco
 Primary Examiner
 Art Unit: 3762

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Benoit Castel on June 9th, 2004.

The application has been amended as follows:

In claim 1, line 7, "the" has been deleted and - - a- - has been added after before *proximal end of said deformable* in the body of the claim.

In claim 8, line 1, "4" has been deleted and - - 6- - has been added after *according to claim* in the preamble of the claim.

Statement of Reasons for Allowance

Claims 1-9 are allowed over the prior art.

The following is an examiner's statement of reasons for allowance:

The subject matter of the independent claims could either not be found or was not suggested in the prior art of record. The subject matter not found was a microdialysis probe having closed distal end, a proximal end, a dialysis membrane, and a deformable mesh sleeve to enclose and protect the membrane, wherein a proximal end of the

Art Unit: 3762

deformable sleeve is fastened to the probe between the proximal end of the probe and the membrane in combination with the other elements (or steps) in the claims.

The prior art of record does not teach that the deformable sleeve be mesh. Since the specification specifically sets forth that deformable mesh is to be interpreted as threads or fabric woven together to form openings in the mesh, and the dictionary defines mesh as "a open spaces or wire network" and "a fabric with an open network of interlacing threads" (Webster), the prior art teaches of sleeves that mesh, only sleeves (or sheaths) that are stainless steel or polymers.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Hernandez, Patsalos et al., and O'Connell all teach of probes having sheaths or sleeves made of polymers, such as silicone, or stainless steel.

Mishra and Odland disclose probes or microcatheters that have no sheath or sleeve.



Art Unit: 3762

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Patricia M Bianco whose telephone number is (703) 305-1482. The examiner can normally be reached on Monday to Friday 9:00-6:30, alternate Fridays off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Angela Sykes can be reached on (703) 308-5181. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

June 9th, 2004


PATRICIA BIANCO
PRIMARY EXAMINER


Patricia M Bianco
Primary Examiner
Art Unit 3762